SERVO-DRIVE
Opening has never been easier.
blum
www.blum.com

The electronic opening support system for pull-outs and wall cabinets

A single touch suffices and pull-outs and cabinets seem to open by themselves. SERVO-DRIVE, SERVO-DRIVE uno and SERVO-DRIVE flex: one system for the entire kitchen with custom solutions for any requirement – be it for base units, wall cabinets, refrigerators or dishwashers.

Contents

04 Advantages

10 SERVO-DRIVE portfolio

12 Installation

Enhanced convenience

SERVO-DRIVE makes light work of opening heavy pull-outs or appliance doors. Even wide wall cabinet fronts glide open with a whisper.
Closing is just as easy. Simply give pull-outs a gentle push or shut wall cabinets with the press of a switch.

The art of opening

SERVO-DRIVE runs quietly and freely and can be stopped in any position.
No matter how heavy the pull-out, front or door, the opening action is light and smooth.

SERVO-DRIVE for AVENTOS – the ultimate in convenience for opening wall cabinet fronts.

Touch lightly anywhere on the front and even wide and heavy pull-outs glide open.

Effortlessly open pull-outs in base cabinets or drawers near the floor with your knee or toe.

The fronts of appliances like dishwashers, refrigerators or freezers open with ease.

Safety in every detail

Safe opening
SERVO-DRIVE responds extremely quickly. The opening action will stop as soon as it feels any resistance.

Sensitive triggering
The trigger sensitivity can now be adjusted to suit the user's preferences. Paired with the integrated lean protection feature, this prevents unintentional opening.

Full control

Users can stop and restart the motion at any time. Plus, if there's a power outage, pull-outs, wall cabinets and doors equipped with SERVO-DRIVE can be opened manually.

Easy to switch off

It is easy to deactivate SERVO-DRIVE at any time using the switched outlet. This saves energy and makes it easy to clean fronts.

Endless design freedom

SERVO-DRIVE puts no limits on design. It can be used in combination with all kinds of fronts – with a recessed grip, with or without a handle. The opening support system is fitted behind the pull-out, concealed from view, and does not detract from the design or functionality of the furniture.

For all nominal lengths

SERVO-DRIVE can be combined with pull-outs of all nominal lengths and dimensions. The cabinet width must be at least 275 mm.

For different systems

SERVO-DRIVE is fully compatible with a variety of box and runner systems.

A diverse portfolio for every need

SERVO-DRIVE is available in different variants to suit the living space and application.

SERVO-DRIVE

For box and runner systems in base cabinets – SERVO-DRIVE makes opening a breeze.

SERVO-DRIVE for AVENTOS

SERVO-DRIVE is ideal for our wall cabinet lift systems. The electronic opening support system provides enhanced convenience, especially for smaller people.

You can find more information on AVENTOS here.

blum.com/sdr15

SERVO-DRIVE uno

No hands free? No worries – a single touch is all it takes to open the waste bin pull-out automatically. The front stays clean and the waste goes in the bin.

SERVO-DRIVE flex

Whether for left or right opening, sliding or fixed doors, SERVO-DRIVE flex can be installed in any application so there's no reason to go without the convenience of SERVO-DRIVE even for your integrated refrigerator, freezer or dishwasher.

From 2.5 to 8 seconds

The hold-open times of SERVO-DRIVE flex can be adjusted on the drive, giving you the choice of three modes: 2.5 seconds, 4 seconds and 8 seconds – whatever you prefer.

Simplified start-up

The wireless receiver is now integrated in the drive unit. This simplifies the synchronisation of two drive units on doors over 1700 mm in height. Reference runs for adjusting the ejection force are no longer needed.

Low power consumption

An added bonus: the standby power consumption of all SERVO-DRIVE variants is well below the level mandated in the EU.

Easy to install

SERVO-DRIVE is easy to fit without any electrical knowledge and mostly without tools. Simply scan the QR code on the drive unit to access the installation instructions and have everything you need at your fingertips.

SERVO-DRIVE

Correct installation

A dedicated LED indicates when the installation depth is correct. This saves time, gives you peace of mind and ensures that the system will work with the usual precision you expect of Blum fittings.

No tools needed

Assembly couldn't be easier: simply attach the drive units to the bracket profile in the right position without tools or – for SERVO-DRIVE flex – clip them onto the mounting plate.

SERVO-DRIVE uno

Precise positioning

The integrated locating bracket helps the installer quickly find the right fixing position.

Automatic setting

The depth position is set automatically by inserting and closing the pull-out.

moving ideas

We believe that ideas can move the world. We offer innovative fittings, inspiring furniture concepts and appropriate services so that you can turn your creative ideas into reality. We are driven by your needs, international trends and our shared vision of a better quality of living. Let us work together to create moving ideas.

Quality of living

We would like you to enjoy greater convenience and functionality when using furniture.

Product range

Everything from a single source: our wide range of products allows you to keep up with today's and tomorrow's trends.

Inspiration

We monitor global trends and strive to create the solutions of tomorrow. We like to share our insights with you.

Innovation

We stay in motion. Curiosity and pioneering spirit drive us to develop new products and services for you.

Services

We support your daily operations with customised services tailored to your processes.

Quality

We continuously strive to improve our products, services and ourselves.

Trust

We take responsibility for partnerships, our employees, society and the environment.

Julius Blum started our journey in 1952 with horseshoe studs. Today we supply innovative fittings to customers in over 120 countries.

Look for our FSC™-certified products

FSC
www.fsc.org
FSC™ C115115

All content is copyrighted by Blum.
Subject to technical modifications and changes to the range without notice.
IDNR: 637.605.3 · EP-656/1 EN-AL/05.25

Julius Blum GmbH
6973 Höchst, Austria
Tel.: +43 5578 705-0
Fax: +43 5578 705-44
E-mail: info@blum.com
www.blum.com

Our sites in Austria, Poland and China are certified to the international standards mentioned below.
Our site in the USA is certified to ISO 9001.
Our site in Brazil is certified to ISO 9001, ISO 14001 and ISO 45001.

ISO 9001
Certified Quality System

ISO 14001
Certified Environmental System

ISO 50001
Certified Energy System

blum®