



REVEGO

Pocket systems for
new space concepts

Technical overview

www.blum.com

 **blum**[®]



Simplified Assembly Meets Innovation

More and more people are merging their kitchen, dining, living and working spaces. This trend places high demands on modern living concepts. Pocket systems make it possible to quickly, easily and intuitively open up entire spaces when needed and close them off again when not in use. This gives you completely new design possibilities for a wide range of applications.

REVEGO pocket systems are the solution for optimum space utilization: a unique slide-in door system with sophisticated technology integrated into its own narrow cabinet—the pocket.



Contents

- 4 REVEGO at a glance
- 6 Planning
- 10 Overview of applications and dimensions
- 12 REVEGO uno
- 13 REVEGO uno + uno
- 14 REVEGO duo
- 15 REVEGO duo + duo
- 16 REVEGO uno + duo
- 20 Quality and testing standards
- 21 E-SERVICES
- 22 moving ideas



REVEGO at a glance

- Fast and easy installation thanks to pre-mounted hardware
- Unique pocket construction with fully integrated motion technologies
- Easy planning thanks to predefined pocket widths
- Enhanced ease of use and mesmerizing motion
- Individual design possibilities through the combination of REVEGO uno (one door) and REVEGO duo (two doors)
- Different nominal lengths allow you to adapt applications to the installation situation
- Smooth opening and closing without a handle thanks to integrated TIP-ON motion technology
- Can be designed with or without toe-kick option or as a countertop-mounted cabinet
- Precise and easily accessible 4-dimensional adjustment options
- Full overlay fronts completely conceal the pocket when closed for a perfect gap layout
- Pocket systems can be used in all living areas
- Suitable for systems to conceal runs of cabinets or walk-in solutions such as closets or pantries, etc.
- Hardware can be easily removed (even from built-in cabinets) thanks to an integrated service interface



Use REVEGO uno single doors on their own, or combine them with REVEGO duo double doors as desired. The full overlay fronts with a height of up to 2980 mm conceal the pocket completely when closed.



It is easy to implement solutions with internal cabinetry or walk-in solutions such as closets or pantries.





From a front height of 1130 mm, REVEGO can also be implemented as a countertop-mounted cabinet.

Easy Planning

with Blum's Product Configurator

The Product Configurator will help you select the right products quickly and efficiently. It gives you checked parts lists, comprehensive planning information and CAD data for further processing. Fixed pocket widths and different nominal lengths enable easy integration into the kitchen layout.



Use Product Configurator for a
complete parts list, CAD files
and cut list
www.blum.com/configurator



Efficient and improved manufacturing

- Unique pocket construction with fully integrated hardware
- Numbered and labeled components eliminate confusion
- Fewer CNC-drilled holes mean fewer screws are needed, saving time and tooling costs
- Hardware installation videos are available on the EASY ASSEMBLY App



Rapid on-site installation


Final assembly on site is simplicity itself: set up, align and mount the pockets, install the doors and track, make adjustments to the gap layout—and that's it!

- Pre-assembly in the workshop makes jobsite installs smoother
- REVEGO duo doors can now be hung separately versus having to do them simultaneously
- EASY ASSEMBLY App provides videos that show on-site installation of pockets and doors



Easy adjustment

- Wide range for adjustment: left and right, up and down, depth, tilt
- Adjustments accessible from the front of the pocket without removing the door
- Height adjustment at eye-level for comfort and accessibility
- EASY ASSEMBLY App provides videos that show adjustments



The ultimate in convenience

No need for handles thanks to TIP-ON motion technology. The cabinet doors open with a single touch and slide away completely into the pocket.

To close off the space, simply press the door once to release it from the pocket and then press it again to elegantly conceal the entire area.



Download the EASY ASSEMBLY App for
REVEGO installation instructions and videos
www.blum.com


REVEGO Planning Approach and Product Selection

Fixed pocket widths of **100 mm** for REVEGO uno and **150 mm** for REVEGO duo allow you to quickly and easily determine how much space to leave between cabinets.

Blum's Product Configurator walks you through the following detailed steps while you input dimensions for your REVEGO application:


- Planning approach
- Product selection
- Cabinet design
- Height, width and depth
- Accessories

Planning Approach




Niche installation

When planning REVEGO between two walls, runs of cabinetry, or for when there are other external factors limiting the width, depth or height of your application.



Free-standing installation

When planning REVEGO around a run of cabinetry, where the limiting factors for width, depth or height are the dimensions for whatever REVEGO will conceal when closed.








Number of fronts

When planning REVEGO based on a specified number of fronts—perhaps to match the cabinetry around it, or aesthetic of the space.

Product Selection

Select the REVEGO application and dimensions that suit your needs.



REVEGO **uno**: single door, left or right
REVEGO **duo**: double door, left or right

Available in combinations such as:


REVEGO **uno** + **uno**: two single doors

REVEGO **duo** + **duo**: two double doors


REVEGO **uno** + **duo** or **duo** + **uno**: one single door and one double door

Cabinet Design


Select the cabinet design for the bottom of your REVEGO application.



With toe-kick (leg levelers)




Without toe-kick




Countertop application

Dimensions

Determine the height, width, depth and front protrusion for your application.



The **front protrusion** refers to the distance the doors extend beyond the front face of the pocket when closed.



Accessories

Select any accessories relevant for your REVEGO application.

Inner door and inter-door support

Provides additional door support and stability



Scuff guards

For doors thicker than 23 (7/8")



Additional pocket connector

To hide leg levelers behind toe-kick panel






Notes




- The internal dimensions within the application (internal width, internal height, internal depth) define the maximum space available for internal cabinetry
- Input the widest front dimension first for combined applications
- Drilling patterns, cut-to-size dimensions and detailed parts lists can be found in the Product Configurator

Overview of applications and dimensions




REVEGO uno: single door right or left (1 front)



REVEGO uno + uno: two single doors combined (2 individual fronts)




REVEGO duo: double door right or left (2 fronts, connected)




Overview of applications and dimensions

REVEGO duo + duo: two double doors combined (4 fronts, 2 connected + 2 connected)



REVEGO uno + duo: single door and double door combined (3 fronts, 1 individual + 2 connected)




Notes

- Height, width and door weight might be limited in some countertop height applications.
- Refer to Product Configurator for application specific information

REVEGO uno: single door right or left



Space requirement			
Installation dimensions (mm)	Width	Height	Depth
	450–900	1155–3012	from 573
Internal dimensions within the application (mm)	Width	Height	Depth
	up to 800	up to 2999	from 518
Pocket dimensions (mm)	Width	Height	Depth
	100	1142–2999	from 553
Front dimensions (mm)	Width	Height	Thickness
	442–898	1130–2980	18–26
Front weight	up to 35 kg (77 lb) per front		




REVEGO uno + uno: single door right and single door left



Space requirement			
Installation dimensions (mm)	Width	Height	Depth
	900–1800	1155–3012	from 573
Internal dimensions within the application (mm)	Width	Height	Depth
	up to 1600	up to 2999	from 518
Pocket dimensions (mm)	Width	Height	Depth
	100	1142–2999	from 553
Front dimensions (mm)	Width	Height	Thickness
	442–898	1130–2980	18–26
Front weight	up to 35 kg (77 lb) per front		


Overview



REVEGO duo: double door right or left



Space requirement			
Installation dimensions (mm)	Width	Height	Depth
	900–1500	1155–3012	from 573
Internal dimensions within the application (mm)	Width	Height	Depth
	up to 1350	up to 2884	from 483
Pocket dimensions (mm)	Width	Height	Depth
	150	1142–2999	from 553
Front dimensions (mm)	Width	Height	Thickness
	442–748	1130–2980	18–26
Front weight	up to 35 kg (77 lb) per front		




REVEGO duo + duo: double door right and double door left



Space requirement			
Installation dimensions (mm)	Width	Height	Depth
	1800–3000	1155–3012	from 573
Internal dimensions within the application (mm)	Width	Height	Depth
	up to 2700	up to 2884	from 483
Pocket dimensions (mm)	Width	Height	Depth
	150	1142–2999	from 553
Front dimensions (mm)	Width	Height	Thickness
	442–748	1130–2980	18–26
Front weight	up to 35 kg (77 lb) per front		

Overview




REVEGO uno + duo: single door right or left and double door right or left



Space requirement			
Installation dimensions (mm)	Width	Height	Depth
	1350–2400	1155–3012	from 573
Internal dimensions within the application (mm)	Width	Height	Depth
	up to 2150	up to 2884	from 483
Pocket dimensions (mm)	Width	Height	Depth
	100/150	1142–2999	from 553
Front dimensions (mm)	Width	Height	Thickness
	442–898/442–748	1130–2980	18–26
Front weight	up to 35 kg (77 lb) per front		

Overview



















We're committed to creating a powerful product experience. We constantly test product durability through rigorous standards knowing a kitchen will last 20+ years. Because we are so confident in our quality, we offer a limited lifetime warranty on our products as long as the original owner has possession of the cabinet. A full 5-year warranty is offered when electrical components manufactured by Blum are used in combination with our other products.

Testing standards for REVEGO

Each piece of hardware is tested extensively according to strict criteria. Testing is performed in our own labs, as well as in conjunction with international testing organizations.

Durability test		
		40,000 opening and closing cycles, manual operating force is less than 15.7 lbf.
Abuse test		
		Horizontal load test to ensure that system will withstand misuse.
Slam open/slam shut test		
		To simulate overload when opening and closing and ensure that the fronts do not detach from the hardware.
Corrosion testing		
		Based on DIN EN ISO 9227 and DIN EN ISO 6270-2 for simulating corrosion influences.

Our Services at a Glance

Our services support you throughout your entire process—from planning and design, all the way through to manufacturing. Take advantage of our tried-and-tested and user-friendly services for your projects with REVEGO.



Planning, design, quoting

Product Database offers specific product details, photos and CAD data. Our Product Configurator provides you with checked and complete parts lists specifically for your application.



Ordering

To make it easy to order your REVEGO parts, you can manage your different projects and order lists with ease under "My Projects" and "My Order Lists" in the Product Configurator.



Manufacturing

CAM data can be downloaded from the Product Configurator to assist you during the cabinet manufacturing process. Have a Blum EASYSTICK? Transfer BXF files from the Product Configurator directly to your machine.



Assembly, installation

Download our EASY ASSEMBLY App for quick access to assembly and installation instruction sheets and videos. The easy-to-use interface allows you to filter by product type. Save your most used products to your favorites to find the information again quickly.



Marketing

Using our free Marketing Media Library, you can find photos, videos and logos to assist you in your own marketing efforts.



Sign up now for a free
E-SERVICES account.
e-services.blum.com



Find out more about our services:
blum.com/services



moving ideas

At Blum, we pay attention to those small, but valuable, details. We're attentive in everything we do. With our carefully engineered hardware, innovative motion technologies and customized services, we help move your ideas forward. Let's move the world together.



Quality of living

We engineer our products with your lifetime in mind. As your mobility needs change, Blum hardware keeps your cabinets accessible.



Product range

Everything from a single source: Our wide range of products allows you to keep up with the trends of today and tomorrow.



Inspiration

We monitor global trends and strive to create the solutions of tomorrow. We like to share our insights with you.



Innovation

We stay in motion. Our curiosity and pioneering spirit drive us to develop new products and services for you.



Services

We support your daily operations with customized services tailored to your processes.



Quality

We continuously strive to improve our products, services and ourselves.



Trust

It's our goal to build lasting relationships with our customers, employees and in our community.

Julius Blum started our journey in 1952 with horseshoe studs. Today we supply innovative hardware to customers in over 120 countries.

Please visit blum.com for information on other Blum products
LIT.RVG1000.08.25 Ident. 05323482 © 2025 Blum, Inc.

Blum, Inc.
7733 Old Plank Rd.
Stanley, NC 28164
800-438-6788
blum.com

