

Pocket systems open up completely new opportunities for creating multifunctional space: **REVEGO**, the unique slide-in door system with fully integrated technology, allows you to open up entire living areas when you need them and conceal them again when they are not in use. No matter whether single or double door application, the full overlay fronts disappear into a dedicated narrow cabinet, the pocket.

- Smooth opening and closing without a handle thanks to integrated **TIP-ON** motion technology
- Precise and easily accessible 3-dimensional adjustment options
- Fittings can be easily removed (even from built-in furniture) thanks to an integrated service interface

- Full overlay fronts conceal the pocket completely
- REVEGO uno** and **REVEGO duo** can be combined as required
- REVEGO** can be used in all living areas
- Suitable for solutions with internal cabinetry as well as walk-in applications

REVEGO



Easy planning

Standardised pocket widths make planning simple. No matter whether as a single or double door application, **REVEGO** gives you limitless possibilities for designing the space around the pocket and can be quickly integrated into the kitchen layout or run of furniture.





Ready-to-install solution

REVEGO comes with all essential components thanks to the unique pocket construction with fully integrated technology. You can easily pre-assemble pocket systems in the workshop or at your plant, and transport them to end users in a carefully packaged state. This makes installation on site easier and increases efficiency.



Straightforward installation

REVEGO also stands for quick and easy installation: put up, align and mount pre-assembled pockets, install fronts and track, make quick adjustments – and that's it!

Applications		Number of fronts	Mounting width EB (mm)	Internal width within the application LWA (mm)	Front width FB (mm)	 Web code	Page
Single door							
 Symbolic image	REVEGO uno	1	450–900	350–800	442–898		
						DQIU7Y	534
 Symbolic image	REVEGO uno + uno	2	900–1800	700–1600	442–898		
						DQDN1C	535
Double door							
 Symbolic image	REVEGO duo	2	900–1500	750–1350	442–748		
						DQITIM	536
 Symbolic image	REVEGO duo + duo	4	1800–3000	1500–2700	442–748		
						DQIVMM	537
Single door and double door combined							
 Symbolic image	REVEGO uno + duo	3	1350–2400	1100–2150	442–898 442–748		
						DQIUXA	538
Planning							
 Symbolic image	Product Configurator						
	Short URL www.blum.com/s050						
Assembly, removal and adjustment							
 Symbolic image	Assembly, removal and adjustment						
	Short URL www.blum.com/a550						
REVEGO AR – an almost real experience							
 Symbolic image	The AR application by Blum makes this possible. You can now place REVEGO in your space with your iPhone or iPad. Simply download the app in the App Store and get started.			REVEGO AR			
				Short URL www.blum.com/s060			

Pictograph

Item available on request



Web code – click on the code or enter it in the Product Configurator

REVEGO uno



- Slide-in door system for a single door
- Possible installation position, single door right or left
- Easy planning thanks to fixed pocket width POB of 100 mm
- Enhanced user convenience thanks to **TIP-ON** mechanical opening support system
- Can be designed with or without plinth option or as a worktop mounted cabinet
- Different nominal lengths allow you to adapt applications to the installation situation
- Precise and easily accessible 3-dimensional adjustment options



Web code – click on the code or enter it in the Product Configurator

DQIU7Y

Space requirement

Installation dimensions

Mounting width EB (mm)	Installation height EH (mm)	Installation depth ET (mm)
450–900	1155–3012	Starting at 573

Internal dimensions within the application

Internal width within the application LWA (mm)	Internal height within the application LHA (mm)	Internal depth within the application LTA (mm)
Up to 800	Up to 2999	Starting at 518

Pocket dimensions

Pocket width POB (mm)	Pocket height POH (mm)	Pocket depth POT (mm)
100	1142–2999	Starting at 553

Front dimensions

Front width FB (mm)	Front height FH (mm)	Front thickness FD (mm)
442–898	1130–2980	18–26

Front weight FG (kg)

Up to 35 per front

Ordering | Planning | manufacturing

The Product Configurator helps you choose the right fittings for your upcoming **REVEGO** project.

With every product configuration, you will receive manufacturing drawings, cutting lists for wooden parts and fittings, 3D-CAD data for your design software, as well as CAM programs including drilling information for direct machining on your CNC machine, in addition to the checked parts list.

Enter the **web code** in the Product Configurator, click on the **short URL** or scan the **QR code**.

Product Configurator



Short URL

www.blum.com/s051


You can also find further information in our product brochure **REVEGO – pocket systems for new space concepts**.

Order information | Planning



Short URL

www.blum.com/p005



Reference pages

Overview	533
Blum services	602
More technical details	708

Assembly, removal and adjustment

Short URL
www.blum.com/a550



REVEGO uno + uno



- Slide-in door system for two single doors combined
- Possible installation position, single door right and left
- Easy planning thanks to fixed pocket width POB of 100 mm each
- Enhanced user convenience thanks to **TIP-ON** mechanical opening support system
- Can be designed with or without plinth option or as a worktop mounted cabinet
- Precise and easily accessible 3-dimensional adjustment options
- Different nominal lengths allow you to adapt applications to the installation situation



Web code – click on the code or enter it in the Product Configurator

DQDN1C

Space requirement

Installation dimensions

Mounting width EB (mm)	Installation height EH (mm)	Installation depth ET (mm)
900–1800	1155–3012	Starting at 573

Internal dimensions within the application

Internal width within the application LWA (mm)	Internal height within the application LHA (mm)	Internal depth within the application LTA (mm)
Up to 1600	Up to 2999	Starting at 518

Pocket dimensions

Pocket width POB (mm)	Pocket height POH (mm)	Pocket depth POT (mm)
100	1142–2999	Starting at 553

Front dimensions

Front width FB (mm)	Front height FH (mm)	Front thickness FD (mm)
442–898	1130–2980	18–26

Front weight FG (kg)

Up to 35 per front

Ordering | Planning | manufacturing

The Product Configurator helps you choose the right fittings for your upcoming **REVEGO** project.

With every product configuration, you will receive manufacturing drawings, cutting lists for wooden parts and fittings, 3D-CAD data for your design software, as well as CAM programs including drilling information for direct machining on your CNC machine, in addition to the checked parts list.

Enter the **web code** in the Product Configurator, click on the **short URL** or scan the **QR code**.

Product Configurator



Short URL

www.blum.com/s052


You can also find further information in our product brochure **REVEGO – pocket systems for new space concepts**.

Order information | Planning



Short URL

www.blum.com/p005



Reference pages

Overview	533
Blum services	602
More technical details	708

Assembly, removal and adjustment

Short URL

www.blum.com/a550



REVEGO duo



- Slide-in door system for a double door
- Possible installation position, double door right or left
- Easy planning thanks to fixed pocket width POB of 150 mm
- Enhanced user convenience thanks to **TIP-ON** mechanical opening support system
- Can be designed with or without plinth option or as a worktop mounted cabinet
- Different nominal lengths allow you to adapt applications to the installation situation
- Precise and easily accessible 3-dimensional adjustment options



Web code – click on the code or enter it in the Product Configurator

DQITIM

Space requirement

Installation dimensions

Mounting width EB (mm)	Installation height EH (mm)	Installation depth ET (mm)
900–1500	1155–3012	Starting at 573

Internal dimensions within the application

Internal width within the application LWA (mm)	Internal height within the application LHA (mm)	Internal depth within the application LTA (mm)
Up to 1350	Up to 2884	Starting at 483

Pocket dimensions

Pocket width POB (mm)	Pocket height POH (mm)	Pocket depth POT (mm)
150	1142–2999	Starting at 553

Front dimensions

Front width FB (mm)	Front height FH (mm)	Front thickness FD (mm)
442–748	1130–2980	18–26

Front weight FG (kg)

Up to 35 per front

Ordering | Planning | manufacturing

The Product Configurator helps you choose the right fittings for your upcoming **REVEGO** project.

With every product configuration, you will receive manufacturing drawings, cutting lists for wooden parts and fittings, 3D-CAD data for your design software, as well as CAM programs including drilling information for direct machining on your CNC machine, in addition to the checked parts list.

Enter the **web code** in the Product Configurator, click on the **short URL** or scan the **QR code**.

Product Configurator


Short URL
www.blum.com/s053



You can also find further information in our product brochure **REVEGO – pocket systems for new space concepts**.

Order information | Planning

Short URL
www.blum.com/p005



Reference pages

Overview	533
Blum services	602
More technical details	708

Assembly, removal and adjustment

Short URL
www.blum.com/a550



REVEGO duo + duo



- Slide-in door system for two double doors combined
- Possible installation position, double door right and left
- Easy planning thanks to fixed pocket width POB of 150 mm each
- Enhanced user convenience thanks to **TIP-ON** mechanical opening support system
- Can be designed with or without plinth option or as a worktop mounted cabinet
- Different nominal lengths allow you to adapt applications to the installation situation
- Precise and easily accessible 3-dimensional adjustment options



Web code – click on the code or enter it in the Product Configurator

DQIVMM

Space requirement

Installation dimensions

Mounting width EB (mm)	Installation height EH (mm)	Installation depth ET (mm)
1800–3000	1155–3012	Starting at 573

Internal dimensions within the application

Internal width within the application LWA (mm)	Internal height within the application LHA (mm)	Internal depth within the application LTA (mm)
Up to 2700	Up to 2884	Starting at 483

Pocket dimensions

Pocket width POB (mm)	Pocket height POH (mm)	Pocket depth POT (mm)
150	1142–2999	Starting at 553

Front dimensions

Front width FB (mm)	Front height FH (mm)	Front thickness FD (mm)
442–748	1130–2980	18–26

Front weight FG (kg)

Up to 35 per front

Ordering | Planning | manufacturing

The Product Configurator helps you choose the right fittings for your upcoming **REVEGO** project.

With every product configuration, you will receive manufacturing drawings, cutting lists for wooden parts and fittings, 3D-CAD data for your design software, as well as CAM programs including drilling information for direct machining on your CNC machine, in addition to the checked parts list.

Enter the **web code** in the Product Configurator, click on the **short URL** or scan the **QR code**.

Product Configurator



Short URL


www.blum.com/s054

You can also find further information in our product brochure **REVEGO – pocket systems for new space concepts**.

Order information | Planning



Short URL

www.blum.com/p005


Reference pages

Overview	533
Blum services	602
More technical details	708

Assembly, removal and adjustment

Short URL

www.blum.com/a550


REVEGO uno + duo



- Slide-in door system for a single and a double door combined
- Possible installation position, single door right or left and double door right or left
- Easy planning thanks to fixed pocket widths POB of 100 and 150 mm
- Enhanced user convenience thanks to **TIP-ON** mechanical opening support system
- Can be designed with or without plinth option or as a worktop mounted cabinet
- Different nominal lengths allow you to adapt applications to the installation situation
- Precise and easily accessible 3-dimensional adjustment options



Web code – click on the code or enter it in the Product Configurator

DQIUXA

Space requirement

Installation dimensions

Mounting width EB (mm)	Installation height EH (mm)	Installation depth ET (mm)
1350–2400	1155–3012	Starting at 573

Internal dimensions within the application

Internal width within the application LWA (mm)	Internal height within the application LHA (mm)	Internal depth within the application LTA (mm)
Up to 2150	Up to 2884	Starting at 483

Pocket dimensions

Pocket width POB (mm)	Pocket height POH (mm)	Pocket depth POT (mm)
100 150	1142–2999	Starting at 553

Front dimensions

Front width FB (mm)	Front height FH (mm)	Front thickness FD (mm)
442–898 442–748	1130–2980	18–26

Front weight FG (kg)

Up to 35 per front

Ordering | Planning | manufacturing

The Product Configurator helps you choose the right fittings for your upcoming **REVEGO** project.

With every product configuration, you will receive manufacturing drawings, cutting lists for wooden parts and fittings, 3D-CAD data for your design software, as well as CAM programs including drilling information for direct machining on your CNC machine, in addition to the checked parts list.

Enter the **web code** in the Product Configurator, click on the **short URL** or scan the **QR code**.

Product Configurator

Short URL

www.blum.com/s055




You can also find further information in our product brochure **REVEGO – pocket systems for new space concepts**.

Order information | Planning

Short URL

www.blum.com/p005



Reference pages

Overview	533
Blum services	602
More technical details	708

Assembly, removal and adjustment

Short URL

www.blum.com/a550



